




High Speed Variable Data INKJET PRINT SAMPLE BOOK



ComColor®



OLTELECOM

connect | anytime | anywhere

for your worldwide mobile services

5432 Any Street West, Townsville, ST 54321 555.543.5432 P 555.543.5433 F www.yourwebsitehere.com

MR ROMEO LILLEY

Invoice summary


Account number: 9737829341
 Invoice number: 354977
 Customer Category: Platinum

Mr Lilley, Ready to Upgrade?

You have earned a **FREE** upgrade to any Smart Phone (with purchase of new two year contract). To redeem, visit one of our retail stores or call (800) 555-FREE. Expires 12/31/10

Invoice details

DATE	TIME	NUMBER	DURATION
20090104	92:10	305-779-2512	20:07
20090326	47:01	199-574-3040	13:32
20090626	51:03	133-410-6469	13:24
20090523	92:29	611-440-3197	20:40
20090524	5:36	661-809-9204	13:29
20090416	33:32	328-908-2896	2:05
20090606	12:12	563-165-4863	16:32
20091112	79:26	866-178-9453	19:02
20090403	75:43	664-110-1313	1:52
20090405	63:47	759-912-4320	10:20
20090607	1:07	468-839-4532	16:02
20091007	49:12	738-968-5098	11:28

MONTHLY USAGE

Continued on the next page.

Services Agreement - Terms & Conditions

The following constitutes a summary of the terms and conditions set forth in the Services Contract governing the actual contractual relation between Objectif Lune Telecom Inc. and the customer. The customer may request a copy of the Services Contract from Objectif Lune Telecom Inc. by contacting Objectif Lune Telecom Inc.'s Customer Service department or via the Objectif Lune Telecom Inc. corporate web site at www.objectiflune.com.

1.Objectif Lune Telecom Inc. may, upon at least thirty (30) days' prior notice to such effect sent by mail to the customer, modify the Services or any other proObjectif Lune Telecom Inc. of this agreement, including the charges and rates. However, no prior notice shall be required with regard to a modification of Services if Objectif Lune Telecom Inc.'s services offerings remain similar and have no impact on the charges payable by the customer. It is expressly understood that certain services, or their replacement by other similar services, are offered as part of a package deal and that changes to these services do not necessarily entail an adjustment of the charges and rates. By settling the statement of account accompanying any notice of modification to this agreement, the customer is irrevocably deemed to have accepted the modifications. However, the customer may, within such thirty (30) days delay, cancel this agreement or request that it be modified, failing which the customer shall irrevocably be deemed to have accepted the modifications covered by the notice.

2.Subject to the proObjectif Lune Telecom Inc.s set out below, this agreement shall come into force on the Effective Date and shall have a minimum term of thirty (30) days, which shall be automatically renewed for additional successive periods of thirty (30) days. The customer may at any time, upon at least thirty (30) days' prior notice to Objectif Lune Telecom Inc., cancel this agreement or ask Objectif Lune Telecom Inc. for a subscription to another category of Services.

3.If the subscription is part of a sales promotion offered by Objectif Lune Telecom Inc. whereby the customer enjoys lower rates than would have been the case without such sales promotion, the subscription shall be for the period covered by the sales promotion (the "Sales Promotion Period") and may not be cancelled before such period ends. Upon expiry of the Sales Promotion Period, the subscription shall be automatically renewed under the same conditions or at the regular rate in effect for this type of subscription in accordance with the conditions of such sales promotion, unless Objectif Lune Telecom Inc. receives a notice of non-renewal from the customer within ten (10) days preceding the expiry of the Sales Promotion Period.

4.Should the customer cancel a subscription contracted as part of a sales promotion before the expiry date of the Sales Promotion Period, the customer shall pay Objectif Lune Telecom Inc. as damages the penalties indicated in the contract.

5.Charges shall be payable on the due date indicated on the account statement sent to the customer (by mail or electronically), by authorized payment debited from the customer's account or by pre-authorized payment charged to the customer's credit card. If the charges remain unpaid following the due date, they shall bear interest at the rate of 2% per month (24% per annum) calculated and compounded daily as of the due date. As long as charges remain unpaid, Objectif Lune Telecom Inc. shall issue an account statement on a monthly basis. Any partial payment made by the customer will first be applied to the accrued interest, then the unpaid capital, starting with the overdue amounts due the earliest with respect to the payment date.

6.The customer shall not rent, transfer or lend the Equipment or permit use of the Services for personal gain or purposes of public representation.

7.The customer may not connect the Equipment to a number of TV sets or receivers greater than the number indicated in the specifications or proceed to install additional outlets, failing which the customer shall be liable to civil and criminal sanctions. The Equipment may not be transported to a location other than that mentioned in the Specifications, without prior written authorization of Objectif Lune Telecom Inc.. The customer undertakes not to connect to the Service a number of cell phones greater than the number agreed in the Specifications, without the prior consent of Objectif Lune Telecom Inc.. The law forbids receipt of services or portion of services without having paid for them, except with the written prior consent of Objectif Lune Telecom Inc.. Any departure from the law may lead to civil or criminal sanctions.

8.Administration charges shall be billed to the customer for any cheque returned due to insufficient funds, for each pre-authorized payment refused by the customer's financial institution or for any debit from the customer's credit card not authorized by the issuing institution.

9.In case of interruption of the Services attributable to any cause whatsoever other than the customer's fault, Objectif Lune Telecom Inc.'s liability shall be limited to crediting upon written request by the customer, the minimum charges proportionally to the duration of the interruption in relation to the total period for which the customer must pay minimum charges, calculated on an hourly basis, provided the following conditions are met: i) the customer has notified Objectif Lune Telecom Inc. in writing; ii) for Services other than Video on Demand, the interruption lasted for a period of at least forty-eight (48) consecutive hours after the notice and iii) the customer has sent a written request for credit to Objectif Lune Telecom Inc. within fifteen (15) days following such notice.

10.Any Equipment sold to the customer shall be warranted against any manufacturing defect for a period of one (1) year for parts and labor. The customer may choose to purchase the extended warranty offered by Objectif Lune Telecom Inc. on the Equipment sold to the customer, as long as the extended warranty is offered by Objectif Lune Telecom Inc. for such Equipment, as determined by Objectif Lune Telecom Inc.. The warranty period shall be calculated from the Effective Date. Objectif Lune Telecom Inc. shall replace the defective Equipment by identical equipment or another model in accordance with the terms of the warranty, provided the customer notifies Objectif Lune Telecom Inc. of the defect within the warranty period. Notwithstanding the foregoing, the warranty does not apply to any breakage or defect resulting from accidents of force majeure, modifications to the Equipment by the customer without Objectif Lune Telecom Inc.'s prior written authorization, misuse or abuse of the Equipment. In case of defective Equipment, the customer agrees to notify Objectif Lune Telecom Inc. promptly so that a duly authorized representative of Objectif Lune Telecom Inc. can make the necessary inspection.

2009 ANNUAL FUN *** CANTON DRIVE

YES, here is my 2009 Annual Fund Donation of:

\$20 \$35 \$50 \$75 \$_____

Please make your check payable to Family Clinic. See reverse side for credit card donations.



11 *****AUTO**MIXED AADC 03169

Mr. Robert Ford
12 Maryland Dr.
Washington, DC 03169-4499

654196841 16A61 V5WE

Please Respond Today

**Donating online is quick,
easy and secure!**

Simply log on to www.family.org and click on
"Make a Gift" at the top of the page.



Family Clinic, Philanthropy Office
84 Main St, Baltimore, MD 03168-4996
497-984-6613, www.family.org

Your gift is tax-deductible to the extent allowed by law. FAE #6131 Thank you.



Joseph H. McGill, MD

President
Chief Executive Officer
Chair, Board of Governors

Family Clinic
84 Main St.
Baltimore, MD 03168

P 497-984-6613
F 497-984-6234
www.family.org

A teaching hospital of Maryland School of Medicine

It's a new year. A time for renewal. A time for hope.

Dear Mr. Ford,

On behalf of everyone at Family Clinic, I wish you a happy and healthy new year.

In the coming months — as we kick off our Annual Fund — we will be embarking on a very ambitious and exciting program to continue our leadership role in patient care. But before I go any further, I would like to share with you some of Family Clinic's major achievements and recognitions during the past year:

- Family Cancer Center was named the Blue Distinction Center for Complex and Rare Cancers, one of only four Maryland programs recognized for its ability to treat the most complex and rare forms of cancer.
- A national study released data that listed Family as one of the top nine U.S. hospitals — and the only Washington D.C.-area facility — for the lowest heart attack mortality rates.
- Family Clinic's Breast Center became the only DC hospital offering molecular breast imaging (MBI) to their patients, a technology which may detect cancer earlier than other technologies — and costs six times less than an MRI.
- The American Stroke Association presented Family with a Gold Performance Achievement Award for its rapid and effective diagnosis, treatment and education of stroke patients.

We are understandably very proud of these accomplishments — and we hope to continue this success in the new year.

Can we count on you in 2009?

We are depending on you more than ever in 2009. If you could help us today with a gift of \$20, \$35, or even \$50, that would go a long way in helping us meet our goals for the coming year.

If you donated \$25 or more, you will receive future issues of our three popular Family publications — *Contributor*, *Family Magazine* and our *Health & Wellness* magazine. It's our way of saying thank you for the generosity you have shown us.

(over, please)

CREDIT CARD INFORMATION

I wish to charge my gift to my:

American Express

VISA

MasterCard

Discover

Name on card _____

Amount _____ Exp. Date _____

Credit Card # _____

Signature _____

E-mail address _____



Keep me informed about the good works at Family.
My e-mail address: _____

My employer's matching gift form is enclosed.

Please delete my name from your mailing list.

We may use certain information (name, address, e-mail address, telephone number, dates of service, age, and gender) to contact you in the future to raise money for the Family Clinic. We also may provide this information to the Family Clinic Foundation for the same purpose. The money raised will be used to expand and improve the services and programs we provide to the Family community. If you do not wish to be contacted for our fund-raising efforts, you must notify Joe Henderson, Family Clinic 84 Main St. Baltimore, MD 03168, (TEL) (497) 984-6613, joe.henderson@family.org.

What you mean to Family Clinic

With your gift of support to Family, you'll help us continue to provide our patients with top-notch doctors, nurses, technical staff and support personnel. And your support will help us be able to maintain our consistent ranking as one of the top hospitals in the country for selected specialty services.

Because of our supporters, Family Clinic has become a destination of hope for patients from around the globe who come here searching for answers to the most puzzling medical challenges. At the same time, we are a place of comfort for thousands of local patients who depend on Family for their emergency and routine care.

Of course we rely on the generosity of our donors... people like you who we hope will be able to continue your support in this new year through our Annual Fund.

Why you're so important in 2009

We have a lot planned for the coming year — with so much anticipation and excitement. In the coming months, you will be hearing much more about:

- Our expansion of Family Clinic Medical Center North End, where our new three-story wing will house an additional 25 physicians and 125 nurses, technicians and other health care workers.
- The growing use and application of our Simulation Lab program where medical students, physicians and nurses can practice procedural and clinical surgical skills.
- Our leadership role in organ transplantation — especially live-donor transplants. Over the past 10 years, Family has performed more live-donor liver transplants than any other hospital in the country.
- Our impressive medical research program where we are now conducting more than 300 clinical trials for cancer treatments and other drug trials.

As a member of the Family Clinic community, you understand the importance of our work. And I hope that you will make your most generous donation to the Annual Fund. Thank you.

Sincerely,


Joseph H. McGill

Joseph H. McGill, M.D.

p.s. The Annual Fund is the centerpiece of our fundraising program and critical to the lifesaving work we do every day.
Please send a much-needed contribution today. Thanks again.

Extreme Personalization Samples - Page one is a B&W invoice, page two is the same invoice in color, and page three contains a transpromotional element at the bottom of the page. The transpromotional section was designed to change based data from the database.

Leveraging Technologies



These statistics are based on a recent national study of print marketing campaigns. In a marketplace where opportunities are diminished, competition for clients are fierce, and where market share seems to be shrinking...a process based on leveraging technologies to reduce the cost per response without increasing marketing budgets is the best choice. The secret is found in transforming your basic transactional documents into personal conversations by addressing the recipients' desires, needs, budgets, concerns, or fears. A marketing program designed to leverage the most valuable and most guarded asset you have....your database of client/member information?

- On average, organizations that create high-impact transpromotional marketing programs will experience an 18% or greater return.
- Transpromotional pieces will increase by 90% a year for the next two to three years.
- Transpromotional marketing is cost effective and targeted.
- Transpromotional pieces turn common data into customer-intelligent data.
- Transpromotional pieces ensures high involvement and greater returns.

Note: There is no way anyone can guarantee the above results. However, these figures are based on studies analyzing transactional and traditional print marketing campaigns, before and after converting to transpromotional technologies.

bednlinens

4012 SANGER STREET, SEATTLE, WA 83634

SOLD TO	MRS JOANNA SMITH 3 NORTH A BLVD DARIEN	SHIP TO	MRS JOANNA SMITH 3 NORTH A BLVD DARIEN	500
	CT 06820		CT 06820	

PICKED BY	[REDACTED]	CHECKED BY	[REDACTED]	PACKED BY	[REDACTED]	ACCOUNT INVOICE	24572174 B5588200 08/04/08
------------------	------------	-------------------	------------	------------------	------------	------------------------	----------------------------------

LOCATION	ITEM	DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
45 38B2	RTL01	ROYAL 1000TC SHT SET-K	1	14.99	14.99
	KIO	KING IVORY			
47 31D3	RTL35	ROYAL 1000TC P/C 1PR	2	12.99	25.98
	KIO	KING IVORY			

SUB TOTAL	40.97
S/H	7.95
TAX	0
TOTAL DUE \$	48.92

Remittance of any taxes on orders shipped to a location outside of Florida is the responsibility of the purchaser.

210705-01 3WSKL066 4614-08/04/08 0 CC 3 02

PAGE 1 OF 1

UPS 3 DAYS



bednlinens

4012 SANGER STREET, SEATTLE, WA 83634

**SOLD
TO**

MRS JOANNA SMITH
3 NORTH A BLVD
DARIEN

**SHIP
TO**

MRS JOANNA SMITH
3 NORTH A BLVD
DARIEN

500

CT 06820

CT 06820

**PICKED
BY**

**CHECKED
BY**

**PACKED
BY**

ACCOUNT 24572174
INVOICE B5588200
08/04/08

LOCATION	ITEM	DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
45 38B2	RTL01 KIO	ROYAL 1000TC SHT SET-K KING IVORY	1	14.99	14.99
47 31D3	RTL35 KIO	ROYAL 1000TC P/C 1PR KING IVORY	2	12.99	25.98
				SUB TOTAL	40.97
				S/H	7.95
				TAX	0
				TOTAL DUE	\$ 48.92
Remittance of any taxes on orders shipped to a location outside of Florida is the responsibility of the purchaser.					

210705-01 3WSKL066 4614-08/04/08 0 CC 3 02

PAGE 1 OF 1

UPS 3 DAYS

www.bednlinens.com



bedlinens

4012 SANGER STREET, SEATTLE, WA 83634

**SOLD
TO**

MRS JOANNA SMITH
3 NORTH A BLVD
DARIEN

**SHIP
TO**

MRS JOANNA SMITH
3 NORTH A BLVD
DARIEN

500

CT 06820

CT 06820

**PICKED
BY**

**CHECKED
BY**

**PACKED
BY**

ACCOUNT
INVOICE

24572174
B5588200
08/04/08

LOCATION	ITEM	DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
45 38B2	RTL01 KIO	ROYAL 1000TC SHT SET-K KING IVORY	1	14.99	14.99
47 31D3	RTL35 KIO	ROYAL 1000TC P/C 1PR KING IVORY	2	12.99	25.98
				SUB TOTAL	40.97
				S/H	7.95
				TAX	0
				TOTAL DUE	\$ 48.92
		Remittance of any taxes on orders shipped to a location outside of Florida is the responsibility of the purchaser.			

210705-01 3WSKL066 4614-08/04/08 0 CC 3 02

PAGE 1 OF 1

UPS 3 DAYS

www.bedlinens.com



Jonathan,

We offer matching Bedding, Window Treatments, Towels, and Wall Art for your Royal Sheets and you can take an additional ...

30% OFF

Use Promotional Code 45251840

Offer Expires 8-24-09

Radiology Health Specialists

A Radiology Health Specialists Company
Dept. AC 98806
Palestine, TX 78778

|||||

Page: 1 of 1

MRS JOAN SMITH
3 NORTH A BLVD
ROSEWOOD MA 06820-1324

Statement No:S1000897765643
Statement Date: August 24, 2034
Patient No: 98586
Bill Group: 1
Due Date Upon Receipt

Statement of Account

Activity Date	Ref Number	Description	Charges	Credits	Due Date
07/16/12	0014566663	Invoice	\$1,271.00		09/01/12

Total Amount Due \$1,271.00

AMOUNT DUE

\$1,271.00

Remittance of payment due upon receipt unless otherwise
stated on this statement or arranged prior to ~~billing~~.

Radiology Health Specialists

A Radiology Health Specialists Company
Dept. AC 98806
Palestine, TX 78778



Page: 1 of 1

MRS JOAN SMITH
3 NORTH A BLVD
ROSEWOOD MA 06820-1324

Statement No:S1000897765643
Statement Date: August 24, 2012
Patient No: 98586
Bill Group: 1
Due Date Upon Receipt

Statement of Account

Activity Date	Ref Number	Description	Charges	Credits	Due Date
07/16/09	0014566663	Invoice	\$1,271.00		09/01/09

Total Amount Due \$1,271.00

AMOUNT DUE

\$1,271.00

Remittance of payment due upon receipt unless otherwise
stated on this statement or arranged prior to billing.

Radiology Health Specialists

A Radiology Health Specialists Company
Dept. AC 98806
Palestine, TX 78778



Page: 1 of 1

MRS JOAN SMITH
3 NORTH A BLVD
ROSEWOOD MA 06820-1324

Statement No:S1000897765643
Statement Date: August 24, 2012
Patient No: 98586
Bill Group: 1
Due Date Upon Receipt

Statement of Account

Activity Date	Ref Number	Description	Charges	Credits	Due Date
07/16/12	0014566663	Invoice	\$1,271.00		09/01/12
Total Amount Due					\$1,271.00

AMOUNT DUE

\$1,271.00

Remittance of payment due upon receipt unless otherwise stated on this statement or arranged prior to billing.

**FREE
BREAST
EXAM
SEPT. 18th**



WHOLESALE LANDSCAPE

S U P P L Y C O M P A N Y

CALL 555.543.5432

WWW.WHOLESALELANDSCAPESUPPLY
COMPANY.COM

INVOICE

BILL TO:

Minnesota Country Club
2020 Lookout Drive
North Mankato, MN 56003
Fax: 507.625.2594

SHIP TO:

Minnesota Country Club
2020 Lookout Drive
North Mankato, MN 56003
Fax: 507.625.2594

P O # A10652

Date: 10-24-10

QTY	ITEM	UNIT PRICE	TOTAL
25,000 yds	Magnolia Turf Grass	12.95 yd.	\$2908.00

TOTAL DUE: \$2908.00

NOTE: Please Pay From This Invoice, No Statement Will Be Sent.
THANK YOU FOR YOUR BUSINESS

WHOLESALE LANDSCAPE

S U P P L Y C O M P A N Y

CALL 555.543.5432

WWW.WHOLESALELANDSCAPESUPPLY
COMPANY.COM

INVOICE

BILL TO:

Minnesota Country Club
2020 Lookout Drive
North Mankato, MN 56003
Fax: 507.625.2594

SHIP TO:

Minnesota Country Club
2020 Lookout Drive
North Mankato, MN 56003
Fax: 507.625.2594

P O # A10652

Date: 10-24-10

QTY	ITEM	UNIT PRICE	TOTAL
25,000 yds	Magnolia Turf Grass	12.95 yd.	\$2908.00

TOTAL DUE: \$2908.00

NOTE: Please Pay From This Invoice, No Statement Will Be Sent.
THANK YOU FOR YOUR BUSINESS



300 Broadacres Drive, 4th Floor

Bloomfield, NJ 07003

TEL: (973) 780-0100

FAX: (973) 338-8885

QTY ORDER	UNIT EACH	QTY BACK	QTY SHIPPED	PROD CODE	DESCRIPTION	TOTAL COST
95	Doz	1	94	283	BALLS - PING-PONG	2130.98
98	Ea	3	95	762	BOLTS - LIGHTNING	6470.45
35	Box	0	35	837	WIDGETS - MEDIUM	1960.35
73	Pod	7	66	440	CELLOPHANE - BLUE	3486.78
35	Bag	3	32	686	WIDGETS - MEDIUM	478.08
30	Doz	5	25	756	HOOD ORNAMENTS	1367.25
60	Ea	2	58	48	TOENAIL CLIPPERS	4460.78
61	Box	2	59	324	TOENAIL CLIPPERS	4588.43
75	Pod	4	71	480	CELLOPHANE - PLAID	3535.09
37	Bag	3	34	921	CELLOPHANE - PLAID	862.92
8	Doz	5	3	113	CELLOPHANE - PLAID	164.25
88	Ea	1	87	763	CELLOPHANE - BLUE	4735.41
17	Box	9	8	914	CELLOPHANE - BLUE	455.44
3	Pod	2	1	139	WIDGETS - MEDIUM	56.54
17	Bag	7	10	372	BALLS - PING-PONG	429.50
92	Doz	8	84	947	HUBCAPS	3921.12
37	Ea	1	36	93	BALLS - PING-PONG	1552.32
36	Box	4	32	219	WIDGETS - MEDIUM	2300.48
3	Pod	2	1	199	WIDGETS - LARGE	0.04
74	Bag	5	69	993	TOENAIL CLIPPERS	1777.44

INVOICE #	01446
CUSTOMER#	08226
SALES REP#	03488
INVOICE DATE	10/20/00
SHIP DATE	10/25/00

Alida C Smith
House of Crabs
Crossgates Mall
Albany, NY
12203-0000

Total	44733.65
Less 0% Discount	4473.36
Plus Sales Tax	3131.36
Plus Shipping / Handling	24.00
INVOICE GRAND TOTAL	47889.01

We notice you have ordered
BOLTS - LIGHTNING, please
be advised this product will be
discontinued next month.

REMITTANCE COPY

PLEASE RETURN THIS REMITTANCE COUPON WITH YOUR PAYMENT



300 Broadacres Drive, 4th Floor
Bloomfield, NJ 07003
TEL: (973) 780-0100
FAX: (973) 338-8885

- Check box for account information changes.
See reverse side of billing statement.
- Check box for Automatic Payment Plan form.

Please indicate amount enclosed:

\$.

Checks are payable to:

Vision Inc.
P.O. Box 1405
Butler, NJ 07405-1405



Alida C Smith

Account # : 08226
Due Date : 10/25/00

Total Amount Due : \$ 47889.01

Please print your account number on the check.
Allow 5-7 days for mailing to ensure payment is delivered by the due date.

7070082268 478890164

REMITTANCE NOTICE



300 Broadacres Drive, 4th Floor

Bloomfield, NJ 07003

TEL: (973) 780-0100

FAX: (973) 338-8885

QTY ORDER	UNIT EACH	QTY BACK	QTY SHIPPED	PROD CODE	DESCRIPTION	TOTAL COST
72	Doz	3	69	946	CELLOPHANE - BLUE	1228.20
28	Ea	6	22	447	TOENAIL CLIPPERS	310.42
71	Box	6	65	209	DOORKNOBS	6477.90
66	Pod	10	56	312	CELLOPHANE - BLUE	1979.04
42	Bag	8	34	265	CELLOPHANE - PLAID	1780.24
18	Doz	4	14	148	WIDGETS - MEDIUM	94.22
12	Ea	3	9	424	BOLTS - LIGHTNING	213.75
8	Box	3	5	451	BIRDS - BADMINTON	63.45
90	Pod	0	90	125	TOENAIL CLIPPERS	6115.50
28	Bag	10	18	344	WIDGETS - MEDIUM	471.42
66	Doz	3	63	926	DOORKNOBS	4130.28
59	Ea	6	53	161	CELLOPHANE - RED	481.77
5	Box	5	0	321	WIDGETS - LARGE	
10	Pod	6	4	835	BIRDS - BADMINTON	238.28
92	Bag	4	88	76	WIDGETS - LARGE	1201.20
27	Doz	7	20	388	DOORKNOBS	458.60
61	Ea	8	53	313	WIDGETS - SMALL	2529.16
68	Box	9	59	77	CELLOPHANE - PLAID	5865.19
35	Pod	1	34	501	WIDGETS - LARGE	3209.94
53	Bag	4	49	144	HOOD ORNAMENTS	584.08
90	Doz	3	87	303	DOORKNOBS	4303.89
86	Ea	7	79	865	WIDGETS - SMALL	2566.71
82	Box	5	77	514	WIDGETS - SMALL	465.08
45	Pod	2	43	517	CELLOPHANE - BLUE	1481.35
15	Bag	8	7	540	WIDGETS - SMALL	209.51
66	Doz	10	56	384	TOENAIL CLIPPERS	2072.56
93	Ea	8	85	750	BOLTS - LIGHTNING	2119.05
4	Box	5	-1	370	WIDGETS - LARGE	-58.05
92	Pod	2	90	718	WIDGETS - MEDIUM	7968.60
26	Bag	2	24	806	BOLTS - LIGHTNING	635.52
50	Doz	2	48	90	BIRDS - BADMINTON	796.32

INVOICE # 06268
CUSTOMER# 07246
SALES REP# 08065
INVOICE DATE 10/20/00
SHIP DATE 10/25/00

Alison M Smith
House of Crabs
Colonic Ctr
Albany, NY
12205-0000

Total	59993.18
Less 0% Discount	5999.32
Plus Sales Tax	4199.52
Plus Shipping / Handling	35.00
INVOICE GRAND TOTAL	64227.70

We notice you have ordered
BOLTS - LIGHTNING, please
be advised this product will be
discontinued next month.



300 Broadacres Drive, 4th Floor
Bloomfield, NJ 07003
TEL: (973) 780-0100
FAX: (973) 338-8885

PLEASE RETURN THIS REMITTANCE COUPON WITH YOUR PAYMENT

Check box for account information changes.
See reverse side of billing statement.

Check box for Automatic Payment Plan form.

Please indicate amount enclosed:

\$.

Checks are payable to:

Vision Inc.
P.O. Box 1405
Butler, NJ 07405-1405



Alison M Smith

Account # : 07246
Due Date : 10/25/00

Total Amount Due : \$ 64227.70

Please print your account number on the check.
Allow 5-7 days for mailing to ensure payment is delivered by the due date.

7070072468 642277064

REMITTANCE NOTICE

The Museum Art Store

The Museum Art Store • 123 Leonardo Street • Anytown, USA 9876-54321

Ordered By:

Sample A Sample
1234 Main Street
Anytown, USA 12345-8789

Total Cartons: 2

Thank You
For Shopping
With Us!

QTY ORDERED	QTY SHIPPED	QTY BACK-ORDERED	LOCATION CODE	ITEM NUMBER	DESCRIPTION	PRICE EACH	EXTENDED PRICE
2	2	0	B-12	26579	Decorative Poster	\$28.00	\$56.00
6	6	0	E-53	15438	Art Coffee Mug	\$10.00	\$60.00
						Sub	\$116.00

INVOICE



SHIPPING & HANDLING	SALES TAX	ORDER TOTAL
\$24.75	\$4.65	\$145.39

FROM:
The Museum Art Store
123 Leonardo Street
Anytown, USA 9876-54321

Origin ID: MASS

EXPRESS



Ship Date:
Act.Wgt.:
CAD: 100179836/NET3300

SHIP TO:
Sample A Sample
1234 Main Street

BILL SENDER

Anytown, USA 12345

Delivery Address Bar Code



Ref #
Invoice #
PO #
Dept. #

PRIORITY OVERNIGHT

TRK# 7990 2442 0461
0201

33326
FL-US
FLL

XH FXEA






Static-e Electric Co.

300 Rosewood Drive
Danvers, MA 01923
P • (978) 777.7377
F • (978) 777.2517
www.static.e.com

Office hours are
8:00 am to 4:00 pm
Monday - Friday

STATEMENT

KEEP THIS PORTION FOR YOUR RECORDS - SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

DATE OF BILLING	ACCOUNT NO.	SERVICE ADDRESS		
11/6/2012	22-57988423-638	156 WASHINGTON STREET		
BILLING SUMMARY		METER READING DETAIL		
		TYPE	PREVIOUS READING	CURRENT READING
Prior Balance	46.61	E1	3875	4145
Current Payments	46.61 CR	W	2125	2174
Balance Forward	.00			
ELECTRIC	32.91			
WATER	13.10			
FUEL ADJ	3.76 CR			
WATER USE TAX	.03			
EVNT. SURCHARGE	.24			
STATE SALES TAX	2.37			
COUNTY TAX	.21			
PRIVILEGE TAX	.85			
FRANCHISE FEE	.85			
Total:	46.80			
ELECTRIC USAGE HISTORY				
				
MESSAGE				
Our office will be closed Thursday November 22, 2012 for Thanksgiving Day.				

SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

CUSTOMER NAME
SERVICE ADDRESS

John Q. Doe
156 Washington St.
Danvers, MA 01923


DATE OF BILLING 11/6/2012
ACCOUNT NO. 22-57988423-638
Please make check payable to: **Static-e Electric Co.**

You can now pay your bill online. Go to www.static.e.com

**SAVE 10% OFF
YOUR NEXT BILLING CYCLE
SIGN UP FOR
ELECTRONIC STATEMENTS**
SEE REVERSE SIDE FOR MORE INFORMATION.



DUE DATE	TOTAL AMOUNT DUE
11/20/2012	\$ 46.80



Static-e Electric Co.

300 Rosewood Drive
Danvers, MA 01923
P • (978) 777.7377
F • (978) 777.2517
www.static.e.com

Office hours are
8:00 am to 4:00 pm
Monday - Friday

STATEMENT

KEEP THIS PORTION FOR YOUR RECORDS - SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

DATE OF BILLING	ACCOUNT NO.	SERVICE ADDRESS		
11/6/2012	22-57988423-638	156 WASHINGTON STREET		
BILLING SUMMARY		METER READING DETAIL		
		TYPE	PREVIOUS READING	CURRENT READING
Prior Balance	46.61	E1	3875	4145
Current Payments	46.61 CR	W	2125	2174
Balance Forward	.00			
ELECTRIC	32.91			
WATER	13.10			
FUEL ADJ	3.76 CR			
WATER USE TAX	.03			
EVNT. SURCHARGE	.24			
STATE SALES TAX	2.37			
COUNTY TAX	.21			
PRIVILEGE TAX	.85			
FRANCHISE FEE	.85			
Total:	46.80			
ELECTRIC USAGE HISTORY				
<p>MESSAGES</p> <p>Our office will be closed Thursday November 22, 2012 for Thanksgiving Day.</p>				

SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

CUSTOMER NAME
SERVICE ADDRESS

John Q. Doe
156 Washington St.
Danvers, MA 01923

DATE OF BILLING
ACCOUNT NO.


11/6/2012
22-57988423-638
Please make check payable to: **Static-e Electric Co.**

You can now pay your bill online. Go to www.static.e.com

**SAVE 10% OFF
YOUR NEXT BILLING CYCLE**
**SIGN UP FOR
ELECTRONIC STATEMENTS**
SEE REVERSE SIDE FOR MORE INFORMATION.



DUE DATE	TOTAL AMOUNT DUE
11/20/2012	\$ 46.80



Static-e Electric Co.

300 Rosewood Drive
Danvers, MA 01923
P • (978) 777.7377
F • (978) 777.2517
www.static.e.com

Office hours are
8:00 am to 4:00 pm
Monday - Friday

STATEMENT

KEEP THIS PORTION FOR YOUR RECORDS - SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

DATE OF BILLING	ACCOUNT NO.	SERVICE ADDRESS		
11/6/2012	22-57988423-638	156 WASHINGTON STREET		
BILLING SUMMARY		METER READING DETAIL		
		TYPE	PREVIOUS READING	CURRENT READING
Prior Balance	46.61	E1	3875	4145
Current Payments	46.61 CR	W	2125	2174
Balance Forward	.00			
ELECTRIC	32.91			
WATER	13.10			
FUEL ADJ	3.76 CR			
WATER USE TAX	.03			
EVNT. SURCHARGE	.24			
STATE SALES TAX	2.37			
COUNTY TAX	.21			
PRIVILEGE TAX	.85			
FRANCHISE FEE	.85			
Total:	46.80			
ELECTRIC USAGE HISTORY				
MESSAGE				
<p>Our office will be closed Thursday November 22, 2012 for Thanksgiving Day.</p>				

SEE REVERSE SIDE FOR IMPORTANT CUSTOMER INFORMATION.

CUSTOMER NAME
SERVICE ADDRESS

John Q. Doe
156 Washington St.
Danvers, MA 01923

DATE OF BILLING
ACCOUNT NO.

11/6/2012
22-57988423-638
Please make check payable to: **Static-e Electric Co.**

You can now pay your bill online. Go to www.static.e.com


**SAVE 10% OFF
YOUR NEXT BILLING CYCLE**
SIGN UP FOR
ELECTRONIC STATEMENTS
SEE REVERSE SIDE FOR MORE INFORMATION.



DUE DATE	TOTAL AMOUNT DUE
11/20/2012	\$ 46.80


Name _____

Follow the directions.



bear

Directions:
Pick up a crayon.
Put your crayon on the bear.
Draw a line from the bear
to the ball.
Color the flower.
Put down your crayon.



ball



flower







Name _____

Trace the lines.




This is Dan.

Can you match his toys?



Name _____


Follow the directions.




cat

Directions:

Pick up a blue crayon.
Draw a line from the swan
to the fish.
Color the cat.
Put down your crayon.




fish




swan

Name _____


Color with blue.




The color blue is
pretty dark or light.
A clear blue sky is
such a pleasant sight.




blueberries



blue jeans



blue flowers



blue jay

Enhance workflow efficiency Streamline print production

The RISO ComColor combines the World's fastest print speed (150 pages per minute) with low running costs, increased productivity and reliability, for superior performance.



ComColor 9150

Productive • Efficient • Reliable • Eco-friendly

The World's Fastest^{*1} cut-sheet inkjet printer

NEW Record

150 pages per minute^{*2} sets new standards in full-color print production

The RISO ComColor, the fastest printer of its kind, can print 1,000 full-color single-sided pages in approx. 6.5 minutes. Startup takes no more than 5 seconds^{*3}. Print jobs are completed quickly, and the results leave a lasting impression.

Time to print 1,000 full-color A4/letter long-edge feed simplex pages

Conventional color office printer	Approx. 25 minutes
ComColor 9150	Approx. 6.5 minutes

Productive and versatile features achieve optimum results



Flexible paper feeding

Maximize paper capacity for high-speed printing by utilizing multiple paper trays. Paper feeds horizontally beneath the print heads in a short straight path, contributing to high print speeds and increased reliability.

Improved

Improved paper handling


Unique capabilities broaden the range of paper stocks and sizes that can be reliably printed at high speeds. The wide variety of paper stocks includes envelopes and lightweight paper.

Designed for longevity

The ComColor, engineered for high-production environments, is built to last. Proven durability guarantees millions of prints.



ENGINE TECHNOLOGY
FORCEJET™



RISO technology drives high-speed, large-volume printers to new heights

In-line inkjet print heads

Four wide in-line inkjet heads arranged in parallel allow very speedy full-color printing of A3/ledger-size paper at a single pass. Eight-step control per ink drop per color dot assures excellent results with fine tonal gradations.

Special fast-drying ink

To suit the ultra high-speed duplex printing capabilities of the ComColor, RISO developed special fast-drying, fade-resistant, water-resistant oil-based inks that prevent set-off and paper curl.

Stable paper feeds

A reliable paper-feeding mechanism paves the way for high-speed printing with minimal print offset. Paper-feeding speed is intelligently controlled according to how much ink sprays from the print head. Also, multiple sensors help to keep paper jams and other problems to a minimum.

^{*1} A4 long-edge feed, simplex, continuous printing in standard mode, based on office color printers using cut sheet commercially available as of November 2012 (Source: RISO data).
^{*2} A4 long-edge feed, simplex, continuous printing, plain paper (85 gsm (23-lb bond)) in standard mode (print density setting 3). Chart used: Print measurement pattern [Color measurement sample 2 (UETTA standard pattern J6)].

^{*3} Within 10 minutes after the last print job.

Increase Capabilities

Productivity-enhancing accessories automate workflow from start to finish. Take control of print jobs with flexible options. High-capacity feeding and stacking, and various finishing functions streamline production and eliminate the need for outsourcing.



Continuous high-capacity printing

NEW

High Capacity Feeder

Maximize high-speed printing benefits with this option that enables uninterrupted, unattended, high-volume print runs without pausing to reload paper.

- Maximum stacking height: 440 mm (17 5/16")
- Paper weight: 46 gsm to 210 gsm (12-lb bond to 56-lb bond)
- Paper size: 90 mm x 148 mm to 340 mm x 460 mm (3 9/16" x 5 13/16" to 13 3/8" x 18 1/8")



NEW

High Capacity Stacker

This option allows stacking of larger output volumes, reducing user intervention. Stacker cart neatly and easily transports finished prints.

- Maximum stacking height: 440 mm (17 5/16")
- Paper weight: 46 gsm to 210 gsm (12-lb bond to 56-lb bond)
- Paper size:
 - Without offset: 90 mm x 148 mm to 340 mm x 460 mm (3 9/16" x 5 13/16" to 13 3/8" x 18 1/8")
 - With offset: 90 mm x 182 mm to 340 mm x 432 mm (3 9/16" x 7 3/16" to 13 3/8" x 17")
- Automatic paper guide control
- Offset stacking
- High speed switchback unit




Four versatile main functions: stapling, punching, folding and binding

NEW

Multifunction Finisher II

Improved

Intelligent inline functions performed automatically simplify the finishing process.



• Stapling

Stapling options include: One corner staple or two staples for up to 100 sheets* of paper.

• Punching

Holes can be punched through documents. Choose two/three holes in the U.S., or two/four holes elsewhere.

• Folding

Various automatic folding options are available [inward; outward; for A3/ledger-to-A4/letter sheet footprint reductions; and two-fold for up to five sheets making a 20-page booklet].

• Booklet making

Automatic saddle stitch stapling of up to 60 pages (15 sheets).

* When using plain paper and recycled paper (85 gsm (23-lb bond))

Face Down Offset Stapler

Compact option exclusively for offset stacking and stapling finished prints. Stapling options include: One corner staple or two staples for up to 50 sheets*¹.

- Paper size:
 - Without offset: 90 mm x 148 mm to 340 mm x 550 mm (3 9/16" x 5 13/16" to 13 3/8" x 21 5/8")
 - Maximum stacking height: Up to 108 mm (4 1/4")²
- Output speed:
 - Normal: 150 ppm³
 - Offset: 120 ppm³
 - Stapling: 42 ppm³ (simplex/duplex)



¹ When using plain paper and recycled paper (85 gsm (23-lb bond))

² When using B5, A4, A3, Letter, Legal, Folio, Fools

³ When using the ComColor 9150, long-edge feed, simplex

Standard sorting and grouping by quantity

Collate function

Use the collate function to group output either by sort for printing and sorting a desired number of copies in page order. Or by group for printing and sorting the copies by page group.




Sorting by page order



Sorting by page group

Slip sheet

Insert slip sheets between prints at desired quantity intervals. This feature can be used for inserting a cover page on each copy printed in a batch, for example.



Inserting slip sheets



Inserting cover pages

Program print

Set specific print quantities for each group, up to 60 groups.



Reduce Running Costs

To minimize ink consumption and maintain optimal print quality, RISO's standard color profile intelligently controls the quantity of ink drops used for each individual color, according to the paper type, to effectively reproduce the original image.


Save even more ink

Auto color mode

For documents that include monochrome and color pages, the auto color mode can reduce costs by automatically detecting the presence or absence of color, which minimizes ink consumption.

Single color printing

Print using one color (black, cyan or magenta) for a colorful effect with reduced ink consumption.



Save paper, too


Multi-up printing

Combine multiple copies of the same page, or copies of multiple pages onto a single printed page to save paper. Conveniently condense bulky multiple page documents in an easy-to-read format.



Blank page removal

Automatically omits blank pages in documents saving both time and paper, and further reduces running costs.



- This function is only available when using printer driver.
- In cases without data, header/footer included pages will not be recognized as blank pages.

Eco-friendlier Than Ever

The new RISO ComColor reduces power consumption to an all-time low with the introduction of automatic power shut-off. The ComColor is ENERGY STAR certified* and boasts many other energy-efficient innovations. The ComColor technology is truly green.

* In limited regions.



Lower power consumption

Improved

Now, standby and sleep modes consume even less power than previous models. Power consumption when printing is just 0.15 Wh per sheet.

Standby power consumption

Previous model Less than 250 W

ComColor 9150 Less than 150 W

Sleep mode power consumption

Previous model Less than 45 W

ComColor 9150 Less than 5 W

Power consumption per sheet

Previous model Approx. 0.22 Wh

ComColor 9150 Approx. 0.15 Wh

NEW

Power schedule function

Improved

This new function is a convenient energy saver. Automatically set the printer's system power ON and OFF at desired times. Schedule times to power ON so the printer is ready when necessary, and power OFF when it is not required.

Noise reduction

The new ComColor runs quieter than previous models. Operational noise is reduced by implementing nine distinct noise-reduction improvements. This "quiet design" suppresses both running and standby noise, providing a comfortable printing environment.



Superior Simplicity and Quality

With improved performance and functions, the ComColor consistently delivers quality prints with convenience and simplicity for every user.

Easy operation and ink replenishment

Color LCD touch screen

Functions for printing, copying, scanning and managing data are at your fingertips logically arranged for intuitive operation on a large LCD touch screen.



Easy-to-change ink cartridges

Replenishing ink is clean and easy with slim ink cartridges and the ComColor's clever design.



Efficient data processing

Scanner HS5000

Improved

The auto feeder enables scanning of double-sided originals of up to 100 sheets* of paper at a time. Documents can quickly and easily be copied, scanned or stored in PDF, TIFF, and JPEG formats.

- Scanning speed
Simplex: 50 ppm
Duplex: 24 ppm
- Initial copy time: less than 7 seconds
- Maximum scanning area
Flat Bed: 303 mm × 432 mm (11 15/16" × 17")
Auto-Document Feeder: 295 mm × 430 mm (11 5/8" × 16 15/16")
- Scanning resolution: 600 dpi
- Output resolution
Standard: 300 dpi × 300 dpi
Fine: 300 dpi × 600 dpi
- * Paper smaller than B4, 80 gsm or less



ComColorExpress IS1000C

Improved

Various functions are available, such as form printing (for combining data to a saved form), header/footer function (for adding page numbers or text), merge function (for combining various saved data into one unit) and tray select function (for selecting trays per page).

Advanced Adobe® PostScript® 3™ controller handles complex high-volume variable data and graphic-intensive jobs.



- CPU: Intel® Xeon® E3-1275 3.4GHz
Memory: 8 GB
HDD: 500 GB
• ComColorExpress IS1000C or IS950C required for Mac compatibility.

ComColorExpress IS950C

Improved

Basic Adobe® PostScript® 3™ option.

- CPU: Intel® Pentium® G850 2.9GHz
Memory: 2 GB
HDD: 500 GB
• ComColorExpress IS1000C or IS950C required for Mac compatibility.




Direct printing from a USB flash drive

NEW

For direct printing even when the machine is not connected to a network, simply insert a USB flash drive containing the data into the machine's USB slot. Direct printing not only saves time — the image quality is improved over scanned originals.

- The data for direct printing needed to be RISO original format (PRN format).





Impressive image quality on standard paper and envelopes

Improved

Advanced ink formulation for higher quality output

Newly developed ink technology, ComColor X1, reduces ink see-through and improves black ink density.

Improved

Improved envelope printing quality

Envelope printing is improved with an enhanced paper feeding mechanism for reliable envelope handling, and a new image-processing printer driver function for enhanced image quality.

Various functions optimize output

• Mixed-size printing

When printing originals of mixed sizes into a single document, the size of each original is automatically detected for printing on appropriately sized paper.

• Full-area A3/ledger print



The system is compatible with A3/ledger wide paper and the edges can be cut to produce full-area A3/ledger prints.

• Photo and line mode

Choose from two print modes to enhance quality. Select photo mode for printing photographs with natural tones. Select line mode to make text and lines of illustrations look clearer.

• Line smoothing

Line smoothing helps reduce or eliminate unsightly jagged edges that tend to appear, particularly in large fonts and illustrations.




Secure print

PIN code enhances security


Confidential documents need to be kept away from prying eyes — even when they are being printed. PIN code security lets you simply specify a PIN code when sending confidential jobs to the ComColor. When the job is ready to be printed, enter the PIN code on the ComColor control panel to release the job. The job cannot be viewed or printed without authentication.

Dimensions

ComColor Main Unit



ComColor + Scanner HS5000 + Multifunction Finisher II



ComColor 9150

Specifications

Print Type	Line-type inkjet system	
Ink Type	Oil-based pigment ink (Cyan, Magenta, Yellow, Black)	
Resolution	Standard: 300 dpi (main scanning direction) × 300 dpi (subscanning direction) Fine: 300 dpi (main scanning direction) × 600 dpi (subscanning direction)	
Number of Gray Levels	For each CMYK color (8 gray levels)	
Data Processing Resolution	Standard: 300 dpi × 300 dpi Fine: 300 dpi × 600 dpi Line smoothing: 600 dpi × 600 dpi	
Warm-up Time	2 min. 45 sec. or less (at room temperature of 20°C (68°F))	
First Print Time	5 sec. or less ¹ (when copying A4/Letter long-edge feed using color mode)	
Continuous Print Speed²*	A4 long-edge feed Simplex: 150 ppm, Duplex: 75 sheets/minute (150 ppm) Letter long-edge feed Simplex: 146 ppm, Duplex: 73 sheets/minute (146 ppm) A4 short-edge feed Simplex: 110 ppm, Duplex: 55 sheets/minute (110 ppm) Letter short-edge feed Simplex: 116 ppm, Duplex: 58 sheets/minute (116 ppm) B4/Legal short-edge feed Simplex: 90 ppm, Duplex: 42 sheets/minute (84 ppm) A3 short-edge feed Simplex: 80 ppm, Duplex: 40 sheets/minute (80 ppm) Ledger short-edge feed Simplex: 78 ppm, Duplex: 39 sheets/minute (78 ppm)	
Paper Size	Standard Tray	Maximum: 340 mm × 550 mm (13 3/8" × 21 5/8") Minimum: 90 mm × 148 mm (3 9/16" × 5 13/16")
		Maximum: 297 mm × 420 mm (11 11/16" × 17") Minimum: 182 mm × 182 mm (7 3/16" × 7 3/16")
Printable Area	Maximum: 314 mm × 548 mm (12 3/8" × 21 9/16")	
Guaranteed Print Area³	Standard: Margin width of 3 mm (1/8") Maximum: Margin width of 1 mm (0.04")	
Paper Weight	Standard Tray	46 gsm (12-lb bond) to 210 gsm (56-lb bond) (plain paper)
	Feed Tray	52 gsm (14-lb bond) to 104 gsm (28-lb bond) (plain paper)
Paper Feed Method/ Paper Tray Capacity	Standard Tray	Height up to 110 mm (4 5/16")
	Feed Tray	Height up to 50 mm (1 15/16") (× 3 trays)
Output Tray Capacity	Standard	Height up to 60 mm (2 3/8")
Page Description Language	RISORINC/CIII	
Supported Protocols	TCP/IP, HTTP, HTTPS (SSL), DHCP, ftp, lpr, IPP, SNMP, Port 9100 (RAW port), IPv4, IPv6, IPsec	
Supported Operating Systems	Microsoft® Windows® XP (32-bit), Microsoft® Windows Server® 2003 (32-bit/64-bit), Microsoft® Windows Server® 2003 R2 (32-bit/64-bit), Microsoft® Windows Vista® (32-bit/64-bit), Microsoft® Windows Server® 2008 (32-bit/64-bit), Microsoft® Windows Server® 2008 R2 (64-bit), Microsoft® Windows® 7 (32-bit/64-bit), Microsoft® Windows® 8 (32-bit/64-bit) ⁸ , Microsoft® Windows Server® 2012 (64-bit) ⁸	
Network Interface	Ethernet 100BASE-T, 100BASE-TX, 10BASE-T	
Memory Capacity	1 GB	
Hard Disk⁴	Capacity	320 GB
	Available Space	280 GB
Operating System	Linux	
Power Source	AC 100-240 V, 10-5 A, 50-60 Hz	
Power Consumption	Maximum: 1,000 W Ready ⁵ : 150 W or less Sleep ⁶ : 5 W or less Stand-by: 0.5 W or less	
Operating Noise	Max. 66 dB (when printing without optional equipment connected)	
Operating Environment	Temperature: 15°C to 30°C (59°F to 86°F) Humidity: 40% to 70% RH (non-condensing)	
Dimensions (W × D × H)	In use: 1,220 mm × 705 mm × 1,030 mm (48 1/32" × 27 3/4" × 40 9/16") Cover and feed trays closed: 1,155 mm × 705 mm × 1,010 mm (45 15/32" × 27 3/4" × 39 3/4")	
Required Space (W × D × H)	Cover and feed trays opened: 1,220 mm × 1,240 mm × 1,030 mm (48 1/32" × 48 13/16" × 40 9/16")	
Weight	Approx. 171 kg (376 lb)	

Specifications are subject to change without notice.

*1 Within 10 minutes after the last print job

*2 When using plain paper and recycled paper (85 gsm (23-lb bond)), and density setting 3 (Standard) Chart used: Print measurement pattern [Color measurement sample 2 (JEITA standard pattern J6)]

*3 The margin when printing envelopes is 10 mm (3/8"). The guaranteed area when printing images is the area enclosed within 3 mm (1/8") of the edges of the paper.

*4 One gigabyte (GB) is calculated as one billion bytes.

*5 Without printing and temperature adjustment operation

*6 The continuous print speed varies depending on the type of optional output equipment connected. Multifunction finisher: Max. 120 sheets/minute (A4 long-edge feed simplex) Face down offset stapler: ComColor 9150: Max. 150 sheets/minute (A4 long-edge feed simplex)

*7 When setting [Power consumption (in sleep)] to [Low].

*8 Will soon be compatible, however will remain incompatible with Microsoft® Windows® RT.

RISO logo, ComColor, ComColorExpress, and FORCEJET are trademarks or registered trademarks of Riso Kagaku Corporation. Adobe and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Mac is a trademark of Apple Inc. Microsoft, Windows, Windows Server and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Pentium and Xeon are trademarks of Intel Corporation in the United States and/or other countries. Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively.




RISO KAGAKU CORPORATION
5-34-7 Shiba, Minato-ku, Tokyo 108-8385 Japan
<http://www.riso.com>

For more details please contact:

RISO, Inc.
8 New England Executive Park
Suite 390
Burlington, MA 01803
(978) 777-7377 or (800) 663-3031
<http://us.riso.com>

RISO

ComColor Optional Accessory Perfect Binder



Enhance workflow efficiency and streamline binding production



Automatic high-speed perfect binding in a compact unit.


Maximize the ComColor's high-speed printing performance with an in-line binding system for on-demand book printing. RISO's Perfect Binder system drastically reduces production time by combining and automating all functions of book printing and finishing. Provides increased efficiency and is cost-effective for both short runs and high-volume production.

High-speed color printer

In-line binding machine

In-line cutter

Printing and binding flow



Advantages of perfect binding

Perfect binding is a popular and cost-effective method to produce professional-looking soft-bound books. Perfect binding offers benefits over other methods such as saddle stitch and spiral binding. These benefits include the ability to print on the book spine and accommodate a much higher page count.




ComColor Optional Accessory Perfect Binder


High-speed production

Sixty 100-page books of A4/letter size can be bound in an hour^{*1}. Print and bind on-demand reduces inventory and costs.

● Color printer + Binding machine + Cutting machine



● ComColor + Perfect Binder



*1 When connecting with ComColor 9150

*2 Source: RISO data

Low running costs

Cost-effective color printing, combined with automatic in-line binding significantly increases productivity and reduces cost. Efficient in-line process eliminates the need for outsourcing.

Maximum thickness up to 30 mm

Perfect binder can accommodate varying book thicknesses up to 600 pages. Handles binding from 1.5mm to 30mm (approx. 15 sheets to 300 sheets).




No worries about installation space


Delivering powerful 3-in-1 performance, RISO's Perfect Binder seamlessly handles high-speed printing, in-line binding and in-line cutting, in a single compact system.

- Perfect Binder is not compatible with the ComColor 3150/3110 model.
- Requires printed cover sheet when operating with the ComColor 9110/7110 model (printing and binding cannot be performed simultaneously).

[Front]




[Side]



Automatic sizing and trimming

Cover is automatically trimmed to size according to book thickness for a professional finish.




Simple and intuitive operation

• Reliable in-line production

Seamless automated process offers intuitive and user-friendly features.

• No need for sophisticated software

The software included is compatible with Microsoft® Word, Microsoft® Excel®, Microsoft® Power point® and Adobe® PDF.




• Cover layout creation

Covers can be easily created using the dedicated application software. Layouts even allow for printing on spine.

• Error proofing via preview function

Preview function allows complete control reducing errors and maximizing efficiency.



Preview

Consumables



Glue sheet



Dust filter



Deodorant filter


Specifications

Model	Perfect binder	
Compatible Printer	ComColor 9150/9110/7150/7110	
Finishing Type	Side-binding	
Warm-up Time	13 min. or less (at room temperature of 23°C (68°F))	
Binding Speed*1	ComColor 9150/9110: 60 books/hour, ComColor 7150/7110: 48 books/hour	
Paper Size	Body Page	A4/B5/A5/Letter long-edge feed
	Cover Sheet*4 (when cutting off the surplus part)	A5: 210 mm × 307-342 mm (8 1/4" × 12 3/32"-13 15/32") B5: 257 mm × 374-409 mm (10 1/8" × 14 23/32"-16 3/32") A4: 297 mm × 430-465 mm (11 11/16" × 16 15/16"-18 5/16") Letter: 279.4 mm × 441.8-476.8 mm (11" × 17 13/32"-18 25/32")
	Cover Sheet*4 (when leaving the surplus part)	A5: 210 mm × 298.5-342 mm (8 1/4" × 11 3/4"-13 15/32") B5: 257 mm × 365.5-409 mm (10 1/8" × 14 3/8"-16 3/32") A4: 297 mm × 421.5-465 mm (11 11/16" × 16 19/32"-18 5/16") Letter: 279.4 mm × 433.3-476.8 mm (11" × 17 2/32"-18 25/32")
Paper Weight	Standard Tray	Body page: plain paper, recycled paper; 52 gsm to 128 gsm (14-lb bond to 34-lb bond) (for A5 long-edge feed, 64 gsm to 128 gsm (17-lb bond to 34-lb bond)) Cover*: plain paper, recycled paper; 80 gsm to 210 gsm (21-lb bond to 56-lb bond)
	Feed Tray	Body page: plain paper, recycled paper; 52 gsm to 104 gsm (14-lb bond to 28-lb bond) Cover*: plain paper, recycled paper; 80 gsm to 104 gsm (21-lb bond to 28-lb bond)
	Body Sheet Stacker	Plain paper, recycled paper; 52 gsm to 128 gsm (14-lb bond to 34-lb bond)
	Cover Sheet Inserter	Plain paper, recycled paper; 80 gsm to 210 gsm (21-lb bond to 56-lb bond)
Book Thickness (binding amount of sheets)	1.5 mm to 30 mm (1/16" to 1 3/16"), 15-300 sheets Binding amount of sheets varies depending on the paper type	
Binding Side	Long-edge	
Binding Margin*2	Body page: 5 mm (3/16") or more Cover: Whole back side of spine, 5 mm (3/16") or more	
Computer Environment for Supplied Software	Operating System	Microsoft® Windows® XP (32-bit), Microsoft® Windows Vista® (32-bit/64-bit), Microsoft® Windows® 7 (32-bit/64-bit), Microsoft® Windows® 8 (32-bit/64-bit)*6
	Memory	1 GB or more
	CPU	Intel® Pentium® or fully compatible
	Clock	1 GHz or more
	Hard Disk	200 MB of free space (space enough to operate the OS)
	Display	1,024 x 768 or more, High Color or greater resolution
Corresponding File Format*7	doc, docx	Microsoft® Word 2003, 2007, 2010
	xls, xlsx	Microsoft® Excel® 2003, 2007, 2010
	ppt, pptx	Microsoft® PowerPoint® 2003, 2007, 2010
	pdf	Version 1.3 to 1.7
Power Source	AC 220-240 V, 6.0 A, 50-60 Hz	
Power Consumption	Maximum: 1,500 W	
Operating Noise*3	Max. 70 dB (when binding)	
Operating Environment	Temperature: 15°C to 30°C (59°F to 86°F); Humidity: 40% to 70% RH (non-condensing)	
Dimensions (W × D × H)	1,290 mm × 675 mm × 1,125 mm (50 25/32" × 26 3/8" × 44 9/32")	
Required Space with Printer (W × D × H)	2,750 mm × 1,240 mm × 1,125 mm (108 9/32" × 48 13/16" × 44 9/32")	
Weight	Approx. 220 kg (485 lb)	

Specifications are subject to change without notice.

*1 The speed converted to per hour by outputting five 100-page books (A4) and a simplex cover (297 mm × 465 mm (11 11/16" × 18 5/16")), finishing the second to fifth outputs

*2 • Two-page spread on the body page



*3 150 ppm when connecting to the printer, binding A4 long-edge feed

*4 The length of a cover changes depending upon the thickness of the body pages to be bound. Paper with shorter length than body pages cannot be used

*5 If the thickness of a book (spine) is 20 mm (25/32") or more, use of paper with 105 gsm (28-lb bond) or heavier is recommended

*6 Will soon be compatible, however will remain incompatible with Microsoft® Windows® RT

*7 The file composed in 64-bit version is not supported

RISO logo and ComColor are either registered trademarks or trademarks of Riso Kagaku Corporation. Adobe is either a registered trademark or a trademark of Adobe Systems Incorporated in the United States and/or other countries. Microsoft, Microsoft Word, Microsoft Excel, Microsoft PowerPoint, Windows, and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Antenna House PDF Driver is a trademark of Antenna House, Inc. Intel and Pentium are trademarks of Intel Corporation in the United States and/or other countries. Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively.




RISO KAGAKU CORPORATION
5-34-7 Shiba, Minato-ku, Tokyo 108-8385 Japan
<http://www.riso.com>

For more details please contact:

RISO, Inc.
8 New England Executive Park
Suite 390
Burlington, MA 01803
(978) 777-7377 or (800) 663-3031
<http://us.riso.com>

RISO

ComColor Optional Accessory Wrapping Envelope Finisher



Enhance workflow efficiency and streamline mail production



Automatic high-speed envelope printing, folding, enclosing, and sealing in a compact unit.


Maximize the ComColor's high-speed variable data printing performance with an in-line system that seamlessly produces printed inserts enclosed in a sealed and addressed envelope. It's a high-speed color printer, folder and inserter all in one unit.

High-speed color printer

High-speed folding machine

High-speed inserter

Wrapping flow (Printing, Folding, Addressing, Enclosing, Sealing)



*This drawing is only an illustration, not an actual representation.




ComColor Optional Accessory Wrapping Envelope Finisher

Automatic high-speed process


Approximately 2,200 completed pieces of mail can be produced in an hour*. The one-step process streamlines printing, addressing, enclosing, folding and sealing — greatly increasing productivity.

* Enclosing one A4 simplex copy.



Eliminate enclosing errors and increase confidentiality

In-line process from printing to sealing eliminates inserting errors and secures privacy.




Reduce costs and time

Cost-effective printing of envelopes and contents, along with automatic finishing significantly reduces costs. In-line process cuts production time by seamlessly integrating the steps from print to mailing. Reliable system drastically increases uptime.

Improves the effectiveness of communications

Achieve results with dynamic, relevant communications. Personalized envelopes increase open and response rates. Colorful, transactional printing is the key to success.




Compact size requires minimal installation space


The Wrapping Envelope Finisher delivers powerful 3-in-1 performance with its high-speed printer, high-speed folding machine and high-speed inserter, condensed into one compact and convenient office unit.

- Wrapping Envelope Finisher is compatible with 9150/7150 model.

[Front]



[Side]



Consumables

Wrapping Envelope Form

Designed specifically to create envelopes for use with the RISO ComColor.

Envelope Form	Form Size	Envelope Size	Characteristics
Envelope Form A	233 mm × 296 mm	233 mm × 110 mm	Can seal A4 or B5 inserts by inner tri-fold
Envelope Form B	233 mm × 391 mm	233 mm × 158 mm	Can seal A4 inserts by two-fold



Specifications

Model	Wrapping envelope finisher	
Compatible Printer	ComColor 9150/7150	
Type	In-line sealed mail making system	
Finishing Type	Sealed mail making	
Size of Envelope Form	Envelope Form A	233 mm × 296 mm (approx. 105 gsm)
	Envelope Form B	233 mm × 391 mm (approx. 105 gsm)
Insert Paper	Paper Size	A4 (210 mm × 297 mm), B5 (182 mm × 257 mm)
	Paper Type and Weight	Standard tray: Plain paper, recycled paper (46 gsm to 120 gsm) Feed tray: Plain paper, recycled paper (52 gsm to 104 gsm)
Maximum Printable Area	Envelope Form A	212 mm × 217 mm
	Envelope Form B	212 mm × 311 mm
Paper Tray Capacity	Standard Tray	Height up to 110 mm
	Feed Tray	Height up to 50 mm (× 3 trays)
	High Capacity Feeder (optional)	Height up to 440 mm
Mail Stacker Capacity	Height up to 310 mm (approx. 110 mails with IJ paper (85 gsm, 1 sheet insert with inner 3 folds))	
Number of Insert Pages	46 gsm to 59 gsm: 6 sheets or less	
	60 gsm to 80 gsm: 5 sheets or less	
	81 gsm to 100 gsm: 4 sheets or less	
	101 gsm to 120 gsm: 3 sheets or less	
Adhesion Method	Mail Short-edge Part	Pressure seal
	Mail Long-edge Part	Water glue
Remoistening Adhesive	Water Supply Method	Replenish from the water supply tank
	Water Supply Tank Capacity	400 ml
	Water Tank Capacity Inside Printer	480 ml
Finished Mail Size	Envelope Form A	233 mm × 110 mm
	Envelope Form B	233 mm × 158 mm
Processing Speed ^{*1}	37 mails/min.	
Power Source	AC 100-240 V, 3.0-1.5 A, 50-60 Hz	
Power Consumption	Maximum: 250 W	
Operating Noise ^{*2}	Max. 68 dB	
Operating Environment	Temperature: 15°C to 30°C Humidity: 40% to 70% RH (non-condensing)	
Dimensions (W × D × H)	990 mm × 710 mm × 940 mm	
Required Space with Printer (W × D × H)	2,255 mm × 1,280 mm × 1,030 mm	
Weight	Approx. 161 kg	

Specifications are subject to change without notice.

*1 For ComColor 9150: When inserting one page for A4 simplex printing

*2 When connecting the printer and sealing the envelope form with one insert sheet

- Do not leave mails sealed with this unit in a location exposed to direct sunlight for a long term (approximately one month*). Otherwise sealed mails may be spontaneously opened due to degradation of the sealing adhesive.

* The period of time varies depending on the envelope form.

- Please use caution when printing and inserting confidential information with this unit. RISO is not liable for opened mails, due to degradation of the sealing adhesive.
- Send out sealed mails promptly or store them in a dark place.

For more details please contact:

RISO, Inc.
8 New England Executive Park
Suite 390
Burlington, MA 01803
(978) 777-7377 or (800) 663-3031
<http://us.riso.com>

RISO logo and ComColor are either registered trademarks or trademarks of Riso Kagaku Corporation. Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively.



RISO KAGAKU CORPORATION
5-34-7 Shiba, Minato-ku, Tokyo 108-8385 Japan
<http://www.riso.com>

Extensive accessories that meet your diverse needs.

RISO provides a wide range of accessories ready for the massive processing capacity of the ComColor series. These effectively support many different processes, such as paper feeding, stapling, punching, binding and so on, while shortening work time and reducing outsourcing/personnel costs. Simple and reliable automatic operation minimizes errors associated with manual operation.



Boosting Super-high-volume Printing

High Capacity Feeder



Maximize high-speed printing benefits with this option that enables uninterrupted, unattended, high-volume print runs without pausing to reload paper.



High Capacity Stacker



This option allows stacking of larger output volumes, reducing user intervention. Stacker cart neatly and easily transports finished prints.



Advanced Finishing

Multifunction Finisher II



Intelligent inline functions performed automatically simplify the finishing process.

Face Down Offset Stapler



Compact option exclusively for offset stacking and stapling finished prints. Stapling options include: One corner staple or two staples for up to 50 sheets*.

- **Stapling**

Stapling options include: One corner staple or two staples for up to 100 sheets* of paper.

- **Punching**


Holes can be punched through documents. Choose two/three holes in the U.S., or two/four holes elsewhere.

- **Folding**

Various automatic folding options are available [inward; outward; for A3/ledger-to-A4/letter sheet footprint reductions; and two-fold for up to five sheets making a 20-page booklet].

- **Booklet making**

Automatic saddle stitch stapling of up to 60 pages (15 sheets).



* Applicable functions may differ according to the printer model

* When using plain paper and recycled paper (85 gsm (23-lb bond))

Quick, Easy and Versatile Color Scanning

Scanner HS5000



The auto feeder enables scanning of double-sided originals of up to 100 sheets* of paper at a time. Documents can quickly and easily be copied, scanned or stored in PDF, TIFF, and JPEG formats.

* Paper smaller than B4, 80 gsm or less

Enhanced Processing With PostScript Controller

Various functions are available, such as form printing (for combining data to a saved form), header/footer function (for adding page numbers or text), merge function (for combining various saved data into one unit) and tray select function (for selecting trays per page).

ComColorExpress IS1000C



Advanced Adobe® PostScript® 3™ controller handles complex high-volume variable data and graphic-intensive jobs.

ComColorExpress IS950C



Basic Adobe® PostScript® 3™ option.

* ComColorExpress IS1000C or IS950C required for Mac compatibility


Combine a variety of options with the ComColor to meet

Combination examples for various uses

Office use


ComColor + Scanner HS5000 + Face Down Offset Stapler

• Meeting handouts




• In-house documents

• Financial documents




• Proposal documents




Centralized high-volume printing

ComColor + Scanner HS5000 + High Capacity Feeder + Multifunction Finisher II


• Internal newsletters




• Textbooks





• Tests



• Instruction manuals



• Flyers



the specific needs of each print job.

ComColor Accessories

Transaction

ComColor + High Capacity Feeder + Face Down Offset Stapler + High Capacity Stacker

- Application forms

A travel application form from the Canadian government. It includes sections for personal information, travel details, and a consent section. The form is filled with placeholder text and has a small logo at the top.

- Sign-out forms

A travel sign-out form from M&N Travel Agents. It lists travel details and a sign-off section. The form is filled with placeholder text and has a small logo at the top.


- Invoices

An invoice from M&N Travel Agents. It shows a header, a table of items with descriptions and prices, and a summary table at the bottom. The invoice is filled with placeholder text and has a small logo at the top.

- Mails




Face down Offset Stapler



Form/envelope printing

ComColor + High Capacity Feeder

- Application forms




- Cards (greeting cards, invitations)



- Envelopes



High Capacity Feeder



Specifications

High Capacity Feeder

Type	External unit
Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110
Paper Size	Maximum: 340 mm × 460 mm (13 3/8" × 18 1/8") Minimum: 90 mm × 148 mm (3 9/16" × 5 13/16")
Paper Type and Weight	46 gsm (12-lb bond) to 210 gsm (56-lb bond) (plain paper, recycled paper, envelopes, postcards)
Tray Capacity	Height up to 440 mm (17 5/16")
Power Source	AC 100-240 V, 1.0-0.5 A, 50-60 Hz
Power Consumption	Maximum: 100 W
Operating Noise	68 dB (A) or less A4 long-edge feed printing (simplex/duplex)
Dimensions (W × D × H)	790 mm × 625 mm × 740 mm (31 3/32" × 24 19/32" × 29 1/8")
Required Space with Printer (W × D × H)	1,565 mm × 1,240 mm × 1,030 mm (61 5/8" × 48 13/16" × 40 9/16")
Weight	Approx. 67 kg (148 lb)

High Capacity Stacker

Type	External unit
Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110
Finishing Functions	Collating, offset stacking
Paper Size	Maximum: 340 mm × 460 mm (13 3/8" × 18 1/8") Minimum: 90 mm × 148 mm (3 9/16" × 5 13/16") Offset: 90 mm × 182 mm-340 mm × 432 mm (3 9/16" × 7 3/16"-13 3/8" × 17") (envelopes are not acceptable)
Paper Type and Weight	46 gsm (12-lb bond) to 210 gsm (56-lb bond) (plain paper, recycled paper, postcards)
Tray Capacity	Collating: Height up to 440 mm (17 5/16")*1 Offset: Height up to 405 mm (15 15/16")*2
Power Source	AC 100-240 V, 1.4-0.7 A, 50-60 Hz
Power Consumption	Maximum: 140 W
Operating Noise	68 dB (A) or less A4 long-edge feed printing (simplex/duplex)
Dimensions (W × D × H)	1,000 mm × 700 mm × 935 mm (39 3/8" × 27 9/16" × 36 13/16")
Required Space with Printer (W × D × H)	2,810 mm × 1,320 mm × 1,030 mm (110 5/8" × 51 31/32" × 40 9/16")
Weight	Approx. 130 kg (287 lb)

*1 For A5, postcard, envelope, irregular size, etc., height up to 110 mm (4 11/32") is applicable

*2 A5, postcard, envelope, irregular size, etc. are not applicable

Multifunction Finisher II

Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110	
Tray Type	Top Tray	Collating, stacking
	Stacking Tray	Collating, offset stacking
	Booklet Tray	Booklet, paper folding
Paper Size	Top Tray*1	Maximum: 330 mm × 488 mm (13" × 19 3/16") Minimum: 100 mm × 148 mm (3 15/16" × 5 13/16")
	Stacking Tray*1	Maximum: 330 mm × 488 mm (13" × 19 3/16") Minimum: 182 mm × 182 mm (7 3/16" × 7 3/16")
	Booklet Tray*1	Maximum: 330 mm × 457 mm (13" × 18") Minimum: 210 mm × 280 mm (8 1/4" × 11")
Paper Weight	Top Tray	52 gsm (14-lb bond) to 210 gsm (56-lb bond)
	Stacking Tray	52 gsm (14-lb bond) to 210 gsm (56-lb bond)
	Booklet Tray	60 gsm (16-lb bond) to 90 gsm (24-lb bond) (cover: 210 gsm (56-lb bond))
Tray Capacity	Top Tray	50 mm (1 31/32")
	Stacking Tray	200 mm (7 7/8")
	Booklet Tray	50 mm (1 31/32")
Stapling	Maximum Number of Staples*2*3	100 sheets
	Paper Size	Maximum: 297 mm × 432 mm (11 11/16" × 17") (equivalent to A3) Minimum: 203 mm × 182 mm (8" × 7 3/16") (equivalent to B5 long-edge feed)
	Staple Position	1 at front side (angle stapling) 1 at rear side (angle stapling*4, parallel stapling) 2 at center (parallel stapling)
Punching	Number of Punches	2 holes, 3 holes 2 holes, 4 holes
	Paper Size	2 holes: A3, B4, A4, A4 long-edge feed, B5 long-edge feed, Ledger, Legal, Letter, Letter long-edge feed 3 holes: A3, B4, A4 long-edge feed, B5 long-edge feed, Ledger, Letter long-edge feed 4 holes: A3, A4 long-edge feed, Ledger, Letter long-edge feed
	Paper Weight	52 gsm (14-lb bond) to 200 gsm (53-lb bond)
Creating a Booklet	Max. Number of Sheets*2*5	Center margin: 15 sheets (60 pages) 2-fold: 5 sheets (20 pages)
Power Source	AC 100-240 V, 2.0-1.0 A, 50-60 Hz	
Power Consumption	Maximum: 175 W	
Operating Noise	Max. 68 dB (when using Multifunction Finisher II)	
Dimensions (W × D × H)	1,120 mm × 765 mm × 1,130 mm (44 3/32" × 30 1/8" × 44 1/2")	
Required Space with Printer (W × D × H)	2,315 mm × 1,280 mm × 1,130 mm (91 5/32" × 50 13/32" × 44 1/2")	
Weight	Approx. 131 kg (289 lb)	

*1 When color printing on paper that is longer than 432 mm (17"), the image printed beyond 432 mm (17") may be distorted.

*2 When using plain paper and recycled paper (85 gsm (23-lb bond))

*3 65 sheets for a paper size exceeding A4/letter

*4 Rear-side angle stapling is only available for A4 long-edge feed and A3

*5 Includes an added cover

Face Down Offset Stapler

Type	External unit
Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110
Finishing Functions	Offset stacking, staple
Paper Size	Without offset
	Maximum: 340 mm × 550 mm (13 3/8" × 21 5/8") Minimum: 90 mm × 148 mm (3 9/16" × 5 13/16")
Offset output	Paper width: 131 mm to 305 mm (5 3/16" to 12")
Paper Type and Weight	46 gsm (12-lb bond) to 210 gsm (56-lb bond) (plain paper, recycled paper, postcards)
Tray Capacity	Height up to 108 mm (4 1/4")
Max. Number of Sheets for Staples	50 sheets*
	A4, A4 long-edge feed, B5, B5 long-edge feed, Letter, Letter long-edge feed
25 sheets*	A3, B4, Ledger, Legal
Paper Size for Staple	A3, B4, A4, A4 long-edge feed, B5, B5 long-edge feed, Ledger, Legal, Letter, Letter long-edge feed, Foolscap
Paper Weight for Staple	52 gsm (14-lb bond) to 210 gsm (56-lb bond) (plain paper, recycled paper)
Staple Position	1 at front side (angle stapling) 1 at rear side (angle stapling) 2 at center (parallel stapling)
Power Source	AC 100-240 V, 1.2-0.6 A, 50-60 Hz
Power Consumption	Maximum: 110 W
Dimensions (W × D × H)	759 mm × 677 mm × 582 mm (29 7/8" × 26 21/32" × 22 29/32")
Required Space with Printer (W × D × H)	1,440 mm × 705 mm × 1,345 mm (56 11/16" × 27 3/4" × 52 31/32")
Weight	Approx. 30 kg (66 lb)

* When using plain paper and recycled paper (85 g/m² (23-lb bond))

ComColorExpress IS1000C/IS950C

Model Name	ComColorExpress IS1000C	ComColorExpress IS950C
	VB-XE34G	VB-PG29G
Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110	
CPU	Intel® Xeon® E3-1275 3.4GHz	Intel® Pentium® G850 2.9GHz
Memory Capacity	8GB	2GB
HDD	500 GB (user available area*: approximately 460GB)	
Controller OS	Linux	
LAN I/F	Ethernet 1000BASE-T, 100BASE-TX, 10BASE-T	
Power Source	100-240V AC, 1.1A-0.5A, 50/60Hz	100-240V AC, 0.9A-0.4A, 50/60Hz
Power Consumption	Maximum: 110 W Ready*: 75 W or less Stand-by: 4 W or less	Maximum: 85 W Ready*: 65 W or less Stand-by: 4 W or less
Dimensions (W x D x H)	185 mm x 415 mm x 360 mm (7 9/32" x 16 11/32" x 14 3/16") (excluding protrusions)	
Weight	Approx. 10kg (22lb)	
PDL	Adobe® PostScript® 3™ (CPSI 3019)* ³ , PDF (1.7), PCL/PCL XL (PCLc 1.38), TIFF (6.0), PPML	
Applicable Protocol	TCP/IP, HTTP, HTTPS (SSL), DHCP, ftp ^a , NetBIOS ^b , AppleTalk, lpr, IPP, Port 9100 (RAW port), IPv4, IPv6, Ipsec	
Installed Font	PS: 139 fonts (Type 1: 129, TrueType: 19) PCL: 80 fonts	
Compatible OS	Windows Server® 2003 (32-bit/64-bit)/Windows Server® 2003 R2 (32-bit/64-bit)/Windows Server® 2008 (32-bit/64-bit)/Windows Server® 2008 R2 (64-bit)/Windows® XP (32-bit)/Windows Vista® (32-bit/64-bit)/Windows® 7 (32-bit/64-bit)/Windows® 8 (32-bit/64- bit)* ^{6,7} /Windows Server® 2012 (64-bit)* ^{6,7} Mac® OS X v10.5/v10.6/v10.7 (Lion)/v10.8 ⁶ Linux (compatible with PPD only)	

*1 User available area: Job receiving area, hold, archive, form storage, font installation area

*2 When not printing

*3 Genuine Adobe engine

*4 ftp: hot-folder function

*5 NetBIOS: printing function, hot-folder function

*6 Will soon be compatible

*7 Incompatible with Microsoft® Windows® RT

Scanner HS5000


Type	Flat bed scanner with Automatic Document Feeder (ADF)	
Compatible Printer	ComColor 9150/9110/7150/7110/3150/3110	
Scanning Modes	Color, Monochrome, Auto	
Scanning Resolution	600 dpi, 400 dpi, 300 dpi, or 200 dpi	
Maximum Scanning Area	303 mm × 432 mm (11 15/16" × 17") (when using flat bed scanner) 295 mm × 430 mm (11 5/8" × 16 15/16") (when using ADF)	
Copy	Writing Resolution	Standard: 300 dpi × 300 dpi Fine: 300 dpi × 600 dpi
	Copy Paper Size	Maximum: 303 mm × 432 mm (11 15/16" × 17") (equivalent to A3)
	Initial Copy Time	Monochrome/Color: 7 sec or less (when copying A4/letter long-edge feed orientation using Color Priority Mode)
	Scanning Speed	Simplex copying (A4/letter long-edge feed, using ADF): 50 ppm or higher Duplex copying (A4/letter long-edge feed, using ADF): 12 sheets/minute (24 ppm) or higher
	Scaling	50% to 200% (Copy mode) 50% to 200% (Scanner mode, resolution: 200/300 dpi), only 100% (Scanner mode, resolution: 400/600 dpi)
Auto Document Feeder	Type	Original (transfer, duplex scanning with switch- back system)
	Original Source Size: Maximum	297 mm × 432 mm (11 11/16" × 17") (equivalent to A3)
	Original Source Size: Minimum	Simplex: 100 mm × 148 mm (3 15/16" × 5 13/16") Duplex: 128 mm × 182 mm (5 2/32" × 7 3/16")
	Paper Weight	52 gsm (14-lb bond) to 128 gsm (34-lb bond)
	Original Capacity: Smaller than B4	Max. 100 sheets*
	Original Capacity: B4 or Larger	Max. 60 sheets*
Scan	Scanning Speed	Simplex printing: 50 ppm or higher (A4/letter long-edge feed) Duplex printing: 12 sheets/minute (24 ppm) or higher (A4/letter long-edge feed)
	Scanning Gray Levels	10-bit input and 8-bit output for each RGB color
	Scanning Speed	Monochrome/Color: 50 ppm
	Network Interface ^{*3}	Ethernet 1000BASE-T/100BASE-TX/10BASE-T
	Data-saving Method ^{*3}	Main unit hard drive, external server, or USB flash drive, or e-mail
	Data-saving Format ^{*3}	Monochrome: TIFF, PDF Grayscale/full Color: TIFF, JPEG, PDF
	Power Source	AC 100-240 V, 1.0-0.6 A, 50-60 Hz
	Power Consumption	Maximum: 100 W
	Dimensions (W × D × H)	650 mm × 560 mm × 255 mm (25 19/32" × 22 1/16" × 10 1/32")
	Required Space with Printer (W × D × H) (with cover and tray extended)	1,225 mm × 1,345 mm × 1,615 mm (48 7/32" × 52 31/32" × 63 19/32")
Weight	Approx. 26 kg (57 lb)	
		*1 80 gsm (21-lb bond) or less. More than 80 gsm (21-lb bond): Height up to 15 mm (5/8") *2 80 gsm (21-lb bond) or less. More than 80 gsm (21-lb bond): Height up to 9 mm (3/8") *3 Via the internal host controller

Specifications are subject to change without notice.


ComColor Accessories

Dimensions


ComColor Main Unit




ComColor + High Capacity Feeder + High Capacity Stacker




ComColor + High Capacity Feeder




ComColor + Scanner HS5000 + Multifunction Finisher II



ComColor + High Capacity Stacker



ComColor + Scanner HS5000 + Face Down Offset Stapler



Specifications are subject to change without notice.

RISO logo, ComColor, and ComColorExpress are either registered trademarks or trademarks of Riso Kagaku Corporation. Adobe and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Mac OS and AppleTalk are trademarks of Apple, Inc. Microsoft, Windows, Windows Server, and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Pentium, and Xeon are trademarks of Intel Corporation in the United States and/or other countries. Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively.

RISO KAGAKU CORPORATION
5-34-7 Shiba, Minato-ku, Tokyo 108-8385 Japan
<http://www.riso.com>

For more details please contact:

RISO, Inc.
8 New England Executive Park
Suite 390
Burlington, MA 01803
(978) 777-7377 or (800) 663-3031
<http://us.riso.com>



Printed on a ComColor X1 Series Printer